SÜRELİ YAYINLAR

CIM BULLETIN

NOVEMBER - DECEMBER 2000

- 65 Development considerations for the Honeymoon ISL uranium project P.D. Bush
- 74 Decommissioning and reclamation of the Beaverlodge uranium mine-mill operation: Current state of the transition phase R.L.J. Phillips, K.T. Himbeault, B.G. Topp, B.E. Halbert and S.L. Fernandes
- 81 Cluff Lake mill operations A historical review
- H.A. Schnell and E.Corpus
- 89 Minéralogie considerations for uranium in situ leach mining: A preliminary study of uranium and associated mineralogy of roll-front uranium deposits in Wyoming and Nebraska C.L. Stewart, L.J. Reimann and S.M. Swapp
- 97 Magnetoflotation of nickel ore T.Yalcin, A.Sabau and P.Wells
- 103 Roll press briquetting helps chemial/mineral processors squeeeze more value from materials, improve handling R.Komarek

JANUARY 2001

- 53 Crew performance optimization-A move toward process control of the mining cycle A.Henderson, J. Vary and G.Leonard
- 58 Integration and enhancement of mine operations and maintenance-A structured analysis approach P.Roman and L. Daneshmend
- 63 Mining information systems development

M.G. Lipsett and G. R. Baiden

- 67 Toward an infrastructureless guidance system A proposed guidance system for autonomous underground vehicles
- L. Bloomquist and E. Hinton
- 71 Aspects of mining R&D in Australia M. Hood. H. Gurgenci and P. Hatherly
- 76 Information management needs of the Canadian mining industry
 Z.Lukacs

FEBRUARY 2001

- 43 Global estimates of ore reserves in a beach sand deposit A.Şahin
- 48 Le secteur minier marocain : Une revue A.Azza
- 52 Blast movement measurement to control dilution in surface mines
- G.W. Harris, P. Mousset-Jones and J.Daemen
- 56 Reduction of hand-arm transmitted vibration on pneumatic jackleg rock drills
- K. Prajapati and P. Hes
- 60 Air-decking principle and its applications in production and presplit blasting P. Pal Roy and R. B. Singh
- 96 Major advance in pipeline instrumentation A. MacKenzie

INTERNATIONAL JOURNAL OF ROCK MECHANICS AND MINING SCIENCES

DECEMBER 2000

1169 A multiaxial stress criterion for short-and long-term strength of isotropic rock media M. Aubertin, L. Li and R. Siinn

- 1195 A random field model for surface roughness and aperture of rock fractures F.Lanaro
- 1211 Measurement of local stress and estimation of regional stress associated with stability assessment of an open-pit rock slope Y.Obara, N.Nakamura, S.S. Kang and K.Kaneko
- 1223 Experimental characterisation of the localisation phenomenon inside a Vosges sandstone in a triaxial cell P.Bésuelle, J.Desrues and S.Raynaud
- 1239 The strength of hard-rock pillars CD. Martin and W.G. Maybee
- 1247 An experimental study on the progressive shear behavior of rock joints with tooth-shaped asperities
- Z.Y.Yang and D.Y. Chiang
- 1261 Estimating excavation reliability from displacement modelling P.A. Lilly and J.Li
- 1267 Fracture toughness of rocks under sub-zero temperature conditions
- R.D. Dwivedi, A.K. Soni, R.K. Goel and A.K. Dube
- 1277 Transmission of high-amplitude stress pulses through ice-or water- filled joints E.S. Gaffney

JANUARY 2001

- 1 Foreword O.Stephansson, C.-F. Tsang and F. Kautsky
- 5 Prediction of the hydro-mechanical response during shaft sinking for the proposed Nirex Rock Characterisation Facility near Sellafield, Cumbria, United Kingdom J.L. Knight
- 17 Hydromechanical effects of shaft sinking at the Sellafield site
- A. Rejeb and D.Bruel
- 31 Stochastic analysis of flow response in a

- three-dimensional fractured rock mass block J.J. Gomez-Hernandez, H.J. Hendricks Franssen and E.F. Cassiraga
- 45 Continuous approach for coupled mechanical and hydraulic behavior of a fractured rock mass during hypothetical shaft sinking at Sellafield, UK
- A.Kobayashi, T.Fujita and M. Chijimatsu
- 59 Rock characterisation facility (RCF) shaft sinking-numerical computations using FLAC H.Hakami
- 67 Field experiment, results and THM behavior in the Kamaishi mine experiment M.Chijimatsu, T.Fujita, Y.Sugita, K.Amemiya and A. Kobayashi
- 79 Hydro-mechanical response of a fractured granitic rock mass to excavation of a test pit-the Kamaishi Mine experiment in Japan T.S. Nguyen, L.Borgesson, M.Chijimatsu,
- T.S. Nguyen, L.Borgesson, M.Chijimatsu, J.Rutqvist, T.Fujita, J.Hernelind, A.Kobayashi, Y.Ohnishi, M.Tanaka and L.jing
- 95 Thermo-hydro-mechanical characterisation of a bentonite-based buffer material by laboratory tests and numerical back analyses L.Borgesson, M.Chijimatsu, T.Fujita, T.S. Nguyen, J.Rutqvist and L.Jing
- 105 Thermohydromechanics of partially saturated geological media: governing equations and formulation of four finite element models J.Rutqvist, L.Borgesson, M.Chijimatsu, A.Kobayashi, L.Jing, T.S. Nguyen, J.Noorishad and C. -F.Tsang
- 129 Coupled thermo-hydro-mechanical analysis of a heater test in fractured rock and bentonite at Kamaishi Mine-Comparison of field results to predictions of four finite element codes J.Rutqvist, L.Borgesson, M.Chijimatsu, A.Kobayashi, L.Jing, T.S. Nguyen, J.Noorishad and C. -F.Tsang
- 143 Coupled T-H-M issues relating to radioactive waste repository design and performance J.A. Hudson, O.Stephansson, J.Andersson, C-F.Tsang and L.Jing

INDUSTRIAL MINERALS

MINERALS ENGINEERING

DECEMBER 2000

22 CIS insight
Ouarterly report on CIS industrial minerals

49 Not to be sniffed at

US and European cat litter markets reviewed Cat litter is an unglamorous, but very important market for absorbent clays. The 1990s saw the arrival of "clumping" litters, based on sodium bentonite, which to date ha"e captured almost 60% of the market in the USA, and a figure approaching this in parts of Europe. The talk of 2000 however has been clay alternative litters which are gaining in popularity. This article looks at the main players in the US and European cat litter industries, from mineral suppliers to branded leaders, and attempts to identify the trends that are likely to have an impact in the future market.

JANUARY 2001

22IM celebsrates 400th issue

28 Wallboard Wonderland
The North American gypsum market

47 Nanoclays

Opportunities in polymer compounds

54 IM six-month index

FEBRUARY 2001

44 Covering the bases IM talks to PPG Industries

53 All squared up Mexican tile producers in good shape

60 Potential of Saudi industrial minerals

DECEMBER 2000

1441 An improved model for simulation offlotation circuits

J.P. Ferreira and B.K. Loveday

1455 CFD simulation of bubble-particle collisions in mineral flotation cells

P.T. L. Koh, M. Manickam and M. P. Schwarz

1465 Dynamic model of a flotation column M. A. M. Persechini, F. G. Jota and A.E.C. Peres

1483 The flotation chemistry of potassium double salts: schoenite, kainite, and carnallite M.Hancer and J.D. Miller

1495 Molecular modelling of reagents for flotation processes

L.S. Leal Filho, P.R. Seidl, J.C.G. Correia and L.C.K. Cerqueira

1505 Bitumen-air aggregates flow to froth layer: I. Method of analysis

S.Ng, P.Warszynski, M.Zembala and K. Malysa

1519 Bitumen-air aggregates flow to froth layer: II. Effect of ore grade and operating conditions on aggregate composition and bitumen recovery S.Ng, P.Warszynski, M.Zembala and K.Malysa

1533 Calculation of locked cycle flotation test results

G.E. Agar

1543 Investigations of accelerating parameters for the biooxidation of low - grade refractory gold ores

T.L. Deng, M.X. Liao, M.H. Wang, Y.-W.Chen and N.Belzile

1555 Effect of dissolved metal sulphates on gasliquid oxygen transfer in agitated quartz and pyrite slurries

E.Zuidervaart, M. A. Reuter, R.H. Heerema, R.G. J. M van der Lans and J.J. Derksen

1565 Enhanced hydrochloric acid leaching of nickel

E. Jackson and K. J. Lloyd

1573 Nickel retention by geothite and hematite J.P. Beukes, E. W. Giesekke and W. Elliott

1581 Identifying organic foulants on activated carbon from gold processing plants N.G. Fisher and J. G. Dunn

1589 Prediction of the life expectancy of organic covers

K.Komnitsas, A.Peppas and I.Halikia

JANUARY 2001

1 Evaluation of a diagnostic leaching technique for gold in native gold and gold ±silver tellurides K.J. Henley, N.C. Clarke and P.Sauter

13 pH measurement and control in solvent extraction using column contactors Y.Zhuang, A.Siemon, N.Ireland and G.Johnson

25 Bioleaching of Ok tedi copper concentrate in oxygen-and carbon dioxide - enriched air J.Y. Witne and C.V. Phillips

49 Boundary conditions for column flotation-a study by transfer function representation of an axial diffusion model C.Tokoro and Y.Okano

65 Estimation of surface free energy of pyrites by contact angle measurements A.M. Raichur, X.H. Wang and B.K. Parekli

77 Pulp Level control for flotation-options and a CSIRO laboratory perspective J.A. Hamilton and P.J. Guy

87 Floe flotation of galena and sphalerite fines S.Song, A.Lopez-Valdivieso, J.L. Reyes -Bahena and C.Lara-Valenzuela

99 Kinetics of pyrochlore flotation from Araxà mineral deposits J.F. oliveira, S.M. Saraiva, J.S. Pimenta and

107 Reverse magnesite flotation A.N. Santana and A.E.C. Peres

113 Influence of Cu^{2+} and Mg^{2+} on the growth and activity of Ni^{2+} adapted Thiobacillus ferrooxidans

Hong-Mei Li and Jia-Jun Ke

117 Plant practice innovations in a phosphate concentrator

L.A.F. de Barros, L.S. Leal Filho and A.E.C. Peres

FEBRUARY 2001

135 Thiosulfate leaching of gold-a review M.G. Aylmore and D.M. Muir

175 Acid leaching of manganiferous ores by sucrose kinetic modelling and related statistical analysis

F.Beolchini, M. Petrangeli Papini, L. T/oro, M. Trifoni and F.Vegliö

185 The effect of tetrahedrite composition on its leaching behaviour in FeCl₃-NaCI-HCI solutions M.J. Correia, J.Carvalho and J.Monhemius

197 Fungal bio-leaching of low grade latérite ores

M.Valix, F.Usai and R.Malik

205 The electro-sorption properties of nickel on latérite gangue leached with an organic chelating acid

M. Valix, F. Usai and R. Malik

217 The role of copper ions in sphalerite-pyrite flotation selectivity

T.K. Dichmann and J.A. Finch

227 Optimisation of gold recovery by selective gold flotation for copper-gold-pyrite ores K.Forrest, D.Yan and R. Dunne

243 Residual moisture reduction of coarse coal using air purging. 1. Bench scale studies B.K. Johnston, S.K. Nicol and C.J. Veal

257 Holdup models from experimental conductance data in a bubble column L.E. Mattenella and C.R. Zaı "ola

A.P.A. Oliveira

- 263 Enhancement of gold extraction from biooxidation residues using an acidic sodium sulphite-thiourea system
- T.L. Deng, M.X. Liao, M.H. Wang, Y.-W.Chen and N.Belzile

MINING ENGINEERING

JANUARY 2001

17 E-commerce: The mining journey begins Betty L. Gibbs

- 23 Mining's B2B e-marketplaces-Get ready Frank Ludeman
- 29 <u>MyPlant.com</u> offers plant operators online solutions Steve Krai
- 31 Greencastle cement expands, uses new production process
- 34 Continuous ship unloaders save time and money Hans-Jurgen Friedrich and Wei Ye
- IS SME Annual meeting and Exhibit showguide
- 37 Role of water in the stability of a shallow, underground mine

A.K. Sheik and W.G. Pariseau

- 43 New development in the testing of rocks K.F. Unrug, E.Thompson and D.Altizer
- 50 Backfill-Whatever it takes Dan Kump

FEBRUARY 2001

- 13 Maintenance: An opportunity for improvement Paul D. Tomlingson
- 21 EI A report: How Clean Air Act Ammendments affect coal transortation

24 TECHNOLOGY NEWS

Clean coal technology project cuts NOx emissions

Terex launches 65-t (72-st) mining truck Large Warman slurry pump is first of four Honeywell system monitors Chinese coal mine safety

Maptek software aids IMC s phosphate operations

Gekko gravity system installed at Big Bell Mine

- 30 Northwest Mining Association meeting covers 21st century mining issues Steve Krai
- 33 Application of economic parameters and cutoffs during and after pit optimization B.K. Baird and P.C. Satchwell
- 41 Evaluating the potential for acid mine drainage remediation through remining in the Tangascootack Creek watershed, Clinton County, Pennsylvania
 M.W. Smith and V.W. kema